

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006 Annex II, modified by Regulation (EU) No. 2020/878 – Spain

1. IDENTIFICATION:

1.1. Product Identifier:

Product Name: Soy Wax NatureWax C3 Pellets
CAS N°: 31566-31-1
EC N°: 250-705-4
Code: CSC3P

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: Candle wax
Uses advised against: Not determined or not applicable.
Reasons why uses advised against: Not determined or not applicable.

1.3. Details of the supplier:

Ceras Industriales Martí, S.L.
Pol. Ind. Can Clapers. C/Can Clapers 29 2B
08181 – SENTMENAT (Barcelona)

1.4. Emergency Telephone Number:

+34 91.114.25.20

2. HAZARDS IDENTIFICATION:

2.1. Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008 (CLP): The substance is not classified as hazardous according to the Globally Harmonized System (GHS).
Hazard-determining components of labeling: None
Additional Information: None

2.2. Label elements:

Labelling according to Regulation (EC) No 1272/2008 (CLP)
Hazard pictograms: None
Signal Word: None
Hazard statements: None
Precautionary statements: None



NatureWax® C-3

Fecha de Emisión: 28/07/2020

Fecha de revisión: 2023

Versión: 2.00

Página 1 de 13

📍 Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) ☎ +34 93 715 06 48

🌐 www.cerasmarti.com ✉ info@cerasmarti.com

2.3. Other hazards:

Component(s) do not meet the criteria for PBT and vPvB at levels of 0.1% or higher.
Component(s) do not have toxicological or environmental endocrine disrupting properties at levels of 0.1% or higher.

3. COMPOSITION/INFORMATION ON INGREDIENTS:

3.1. **Substance:** Not applicable

3.2. **Mixture:**

Identification	EU REACH Registration No.	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 31566-31-1 EC number: 250-705-4	-	Stearic acid, monoester with glycerol	Not classified	1-3

Additional information: None

Full Text of H and EUH statements: See section 16

4. FIRST AID MEASURES:

4.1. Description of first aid measures

General notes:

First responders should wear gloves and other self-protection when performing treatment.

Following inhalation:

If inhaled, remove to fresh air.

Get medical advice if you feel unwell.

Following skin contact:

Wash with plenty of water / soap and rinse thoroughly.

Get medical advice if skin irritation occurs or if you feel unwell.

Following eye contact:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention.

Following ingestion:

Rinse mouth and do not induce vomiting.

Get medical advice if you feel unwell or concerned.

Self-Protection of the first aider:

Not determined or not available.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Contact with material at ambient temperature expected to cause minimal irritation or no effect. Fumes from the heating of material may cause irritation to eyes, skin, and respiratory tract.

Fumes from the heating of material may cause irritation to respiratory tract.



NatureWax® C-3

Exposure to hot material may cause thermal burns.

Delayed symptoms and effects:

Prolong contact with skin may cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed.

Specific treatment:

Burns should be treated as thermal burns.

Notes for the doctor:

Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIREFIGHTING MEASURES:

5.1. Extinguishing media:

Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing media:

Do not use water stream as an extinguisher, as this may spread fire.

5.2. Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

High concentrations of dust may lead to combustible mixtures with air. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

5.3. Advice for firefighters:

Personal protection equipment:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit.

Special precautions:

Rags, steel wool, or waste contaminated with this product may spontaneously catch fire if improperly handled or discarded.

6. ACCIDENTAL RELEASE MEASURES:

6.1. Personal precautions, protective equipment and emergency procedures:

Wear recommended personal protective equipment.

Ensure adequate ventilation.

Ensure air handling systems are operational.

6.2. Environmental precautions:

Should not be released into the environment.

Prevent from reaching drains, sewer or waterway.

6.3. Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing.

Dispose of contents / container in accordance with local regulations.

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders).

Used rags or other cleaning materials should be soaked with water and placed in a sealed container to prevent spontaneous combustion.

Allow molten material to cool and solidify.

6.4. Reference to other sections:

See section 8 and 13.

7. HANDLING AND STORAGE:

7.1. Precautions for a safe handling:

Use appropriate personal protective equipment (see Section 8).

Use only with adequate ventilation.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Wash thoroughly after handling.

Avoid processing operations which generate dust and accumulation. Combustible dust clouds may be created where operations produce fine material (dust).

7.2. Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Protect from freezing and physical damage.

Keep container tightly sealed.

7.3. Specific end use(s): Not determined or not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:



8.1. Control parameters:

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Lithuania	Stearic acid, monoester with glycerol	31566-31-1	8-Hour TWA: 5 mg/m ³
Sweden	Stearic acid, monoester with glycerol	31566-31-1	Level Limit Value: 5 mg/m ³ (Stearates, total dust)
Spain	Stearic acid, monoester with glycerol	31566-31-1	8-Hour TWA: 10 mg/m ³ (Stearates (except stearamides of toxic metals))
Portugal	Stearic acid, monoester with glycerol	31566-31-1	8-Hour TWA: 10 mg/m ³
Italy	Stearic acid, monoester with glycerol	31566-31-1	8-Hour TWA: 10 mg/m ³ (Stearates (except stearamides of toxic metals), inhalable fraction)
	Stearic acid, monoester with glycerol	31566-31-1	8-Hour TWA: 3 mg/m ³ (Stearates (except stearamides of toxic metals), respirable fraction)

Ireland	Stearic acid, monoester with glycerol	31566-31-1	8-Hour TWA: 10 mg/m ³ (Stearates (except lead stearate))
Belgium	Stearic acid, monoester with glycerol	31566-31-1	8-Hour TWA: 10 mg/m ³ (Stearates)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL):

Ingredient Name: Stearic acid, monoester with glycerol

CAS #: 31566-31-1

Workers - Systemic Effects	Acute – Oral	Not determined or not applicable
	Acute – Inhalation	No hazard identified
	Acute – Dermal	No hazard identified
	Chronic – Oral	Not determined or not applicable
	Chronic – Inhalation	No hazard identified
	Chronic – Dermal	No hazard identified
Workers – Local Effects	Acute – Oral	Not determined or not applicable
	Acute – Inhalation	No hazard identified
	Acute – Dermal	No hazard identified
	Chronic – Oral	Not determined or not applicable
	Chronic – Inhalation	No hazard identified
	Chronic – Dermal	No hazard identified
General Population - Systemic Effects	Acute – Oral	No hazard identified
	Acute – Inhalation	No hazard identified
	Acute – Dermal	No hazard identified
	Chronic – Oral	No hazard identified
	Chronic – Inhalation	No hazard identified
	Chronic – Dermal	No hazard identified
General Population - Local Effect	Acute – Oral	Not determined or not applicable
	Acute – Inhalation	No hazard identified
	Acute – Dermal	No hazard identified
	Chronic – Oral	Not determined or not applicable
	Chronic – Inhalation	No hazard identified
	Chronic – Dermal	No hazard identified

Predicted No Effect Concentration (PNEC):

Ingredient Name: Stearic acid, monoester with glycerol

CAS #: 31566-31-1

Environmental Protection Target	PNEC
Fresh water	No hazard identified
Freshwater sediments	No hazard identified
Marine water	No hazard identified
Marine sediments	No hazard identified
Microorganisms in sewage treatment	Not determined or not available.
Soil (agricultural)	No hazard identified
Air	No hazard identified


NatureWax® C-3

Fecha de Emisión: 28/07/2020

Fecha de revisión: 2023

Versión: 2.00

Página 5 de 13

Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) ☎ +34 93 715 06 48

🌐 www.cerasmarti.com ✉ info@cerasmarti.com

Information on monitoring procedures:

Not determined or not applicable.

8.2. Exposure controls:

Appropriate engineering controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

If processing operations have the potential to generate dust, the dust may be ignited by friction, heat, sparks or flames. It is recommended that all dust control equipment (such as local exhaust ventilation and material transport systems) involved in handling this product contain explosion relief vents or an explosion suppression system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area. Keep static electricity under control, which includes the bonding and grounding equipment.

Personal protection equipment

Eye and face protection:

Safety glasses (with side shields) or goggles.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Suitable glove barrier materials include: Nitrile/butadiene rubber ("nitrile" or "NBR"); 0.11 mm coating thickness, permeation level 6, >480 minutes breakthrough time.

Where appropriate thermal protective clothing, when necessary.

Respiratory protection:

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or guidelines, use a NIOSH-approved respirator.

Where air-purifying respirators are appropriate, use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Product (substance / mixture) related measures to prevent exposure:	Not determined or not applicable.
Instruction measures to prevent exposure:	Not determined or not applicable.
Organisational measures to prevent exposure:	Not determined or not applicable.
Technical measures to prevent exposure:	Not determined or not applicable.

Risk management measures to control exposure:

Not determined or not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES:

9.1. Information on basic physical and chemical properties:



NatureWax® C-3

Fecha de Emisión: 28/07/2020

Fecha de revisión: 2023

Versión: 2.00

Página 6 de 13

Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) ☎ +34 93 715 06 48

🌐 www.cerasmarti.com ✉ info@cerasmarti.com

Physical State	Solid, pale yellow, oily; liquid at elevated temperatures.
Color	Not determined or not available.
Odor/Odor threshold	Faint.
pH	Not determined or not available.
Melting point/freezing point	125 - 130°F
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	315°C / >600°F
Flammability	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Relative vapor density	Not determined or not available.
Density	<0.920 - 0.925 g/cc
Relative density	Not determined or not available.
Solubilities	Not soluble in water.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Particle characteristics	Not determined or not available.

9.2. Other information:

9.2.1. Information with regard to physical hazard classes

Explosives	No data available
Flammable gases	No data available
Aerosols	No data available
Oxidizing gases	No data available
Gases under pressure	No data available
Flammable liquids	No data available
Flammable solids	No data available
Self-reactive substances and mixtures	No data available
Pyrophoric liquids	No data available
Pyrophoric solids	No data available
Self-heating substances and mixtures	No data available
Substances and mixtures, which emit flammable gases in contact with water	No data available
Oxidizing liquids	No data available
Oxidizing solids	No data available
Organic peroxides	No data available
Corrosive to metals	No data available
Desensitized explosives	No data available



NatureWax® C-3

Fecha de Emisión: 28/07/2020

Fecha de revisión: 2023

Versión: 2.00

Página 7 de 13

Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) ☎ +34 93 715 06 48

🌐 www.cerasmarti.com ✉ info@cerasmarti.com

9.2.2. Other safety characteristics:
None.

10. STABILITY AND REACTIVITY:

10.1. Reactivity: Does not react under normal conditions of use and storage.

10.2. Chemical stability: Stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions:

None under normal conditions of use and storage.

High surface area exposure to oxygen can result in polymerization and release of heat.

Processing operations may form combustible dust concentrations in air.

10.4. Conditions to avoid:

Exposure to heat and contact with sources of ignition. High surface area exposure to oxygen can result in polymerization and release of heat.

Avoid dust generation and accumulation.

10.5. Incompatible materials: Strong oxidizing agents.

10.6. Hazardous decomposition products: Carbon monoxide, carbon dioxide.

11. TOXICOLOGICAL INFORMATION:

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity:

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Stearic acid, monoester with glycerol	Oral	LD50 Mouse: >5000 mg/kg
	Dermal	LD50 Rat: >2000 mg/kg

Skin corrosion / Irritation:

Assessment: Based on available data, the classification criteria are not met.

Product data:

Based on components, prolonged contact may cause slight skin irritation. Molten material may produce thermal burns.

Substance data: No data available.

Serious eye damage/irritation:

Assessment: Based on available data, the classification criteria are not met.

Product data:

Based on components, may cause slight temporary eye irritation.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

For skin sensitization: Sensitive individuals may experience dermatitis after long exposure of oil on skin.



NatureWax® C-3

For respiratory sensitization: No relevant data found.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Stearic acid, monoester with Glycerol	Not Applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: Not an aspiration hazard.

Substance data: No data available.

Information on likely routes of exposure:

Inhalation: Excessive inhalation of oil mist may affect the respiratory system.

Skin: Prolonged or repeated skin contact may cause drying, cracking, or irritation. Sensitive individuals may experience dermatitis after long exposure of oil on skin.

Eye: Contact with eyes may cause temporary irritation.



NatureWax® C-3

Ingestion: Not expected to be acutely toxic. Very low toxicity if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics:

Skin contact may cause itching, cracking, swelling, and redness.

Skin contact may cause itching, cracking, swelling, and redness.

Vapor from heated material may cause coughing or sneezing.

11.2. Information on other hazards:

Endocrine disrupting properties:

Substance data: No data available.

Other information: Component(s) do not have toxicological endocrine disrupting properties at levels of 0.1% or higher.

12. ECOLOGICAL INFORMATION:

12.1. Toxicity:

Acute (short-term) toxicity

Assessment:

Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

12.2. Persistence and degradability:

Product data: No data available.

Substance data:

Name	Result
Stearic acid, monoester with glycerol	Readily biodegradable (95% degradation in 28 days).

12.3. Bioaccumulative potential:

Product data: No data available.

Substance data: No data available.

12.4. Mobility in soil:

Product data: No data available.

Substance data:

Name	Result
Stearic acid, monoester with glycerol	Log K _{oc} : 2 - 7.9

12.5. Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Stearic acid, monoester with glycerol	The substance is not PBT.
---------------------------------------	---------------------------



NatureWax® C-3

vPvB assessment:

Stearic acid, monoester with glycerol	The substance is not vPvB.
---------------------------------------	----------------------------

12.6. Endocrine disrupting properties:

Substance data: No data available.

12.7. Other adverse effects:

Component(s) do not have environmental endocrine disrupting properties at levels of 0.1% or higher.

12.8. Hazard to the ozone layer:

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods:

13.1.1. Product/Packaging disposal:

Dispose in accordance with applicable federal, state, and local regulations.

Waste codes / waste designations according to LoW: Not determined or not available.

13.1.2. Waste treatment-relevant information: Not determined or not available.

13.1.3. Sewage disposal-relevant information: Not determined or not available.

13.1.4. Other disposal recommendations: It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

14. TRANSPORT INFORMATION:

International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Carriage of Dangerous Goods by Inland Waterways (ADN)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None



NatureWax® C-3

Fecha de Emisión: 28/07/2020

Fecha de revisión: 2023

Versión: 2.00

Página 11 de 13

Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) ☎ +34 93 715 06 48

🌐 www.cerasmarti.com ✉ info@cerasmarti.com

International Maritime Dangerous Goods (IMDG)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Maritime Transport in Bulk according to IMO Instruments

Bulk Name	None
Ship type	None
Pollution category	None
IMO hazard class	None
Environmental hazards	None
Material hazardous only in bulk	None
Cargo Group	None

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

European regulations

Inventory listing (EINECS): All ingredients are listed or exempt.
REACH SVHC candidate list: None of the ingredients are listed.
REACH SVHC Authorizations: None of the ingredients are listed.
REACH Restriction: None of the ingredients are listed.
Water hazard class (WGK) (Product): Class 1
Water hazard class (WGK) (Substance):

Ingredient Name	CAS	Class
Stearic acid, monoester with glycerol	31566-31-1	Water hazard class 1: slightly hazardous to water



NatureWax® C-3

Fecha de Emisión: 28/07/2020

Fecha de revisión: 2023

Versión: 2.00

Página 12 de 13

Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) ☎ +34 93 715 06 48

🌐 www.cerasmarti.com ✉ info@cerasmarti.com

Other regulations
Germany TA Luft:

Ingredient Name	CAS	Class	Base Emission Rate	Max Concentration
Stearic acid, monoester with glycerol	31566-31-1			

Additional information: Not determined.

15.2. Chemical safety assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. OTHER INFORMATION

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with EC No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and EC No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation, and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.



NatureWax® C-3

Fecha de Emisión: 28/07/2020

Fecha de revisión: 2023

Versión: 2.00

Página 13 de 13

📍 Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) ☎ +34 93 715 06 48

🌐 www.cerasmarti.com ✉ info@cerasmarti.com