

PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

SAFETY DATA SHEET

In accordance with Regulation (EC) Nº 1907/2006 Annex II, modified by Regulation (EU) Nº 2020/878 - Spain

1. IDENTIFICATION

1.1. Product Identifier

Product Name:	Refined Paraffin 56º-58ºC
CAS number:	64742-51-4
REACH:	01-21194880133-46-XXXX
Code:	PR56CH
Other means of identification:	Paraffin wax; Paraffin; Solid paraffin; Paraffin wax

1.2. Recommended use of the chemical and restrictions on use: Identified uses: Not applicable.

Specific uses:

Applications in construction and roads - Professional (Paraffins and hydrocarbon waxes) Distribution of the substance - Industrial (Paraffins and hydrocarbon waxes) Manufacturing of the substance - Industrial (Paraffins and hydrocarbon waxes) Manufacture and use of explosives (Paraffins and hydrocarbon waxes) Formulation and (re) packaging of substances and mixtures - Industrial (Paraffins and hydrocarbon waxes) Other consumer uses - Consumer (Paraffins and hydrocarbon waxes) Polymer Processing - Industrial (Paraffins and Hydrocarbon Waxes) Polymers Processing - Professional (Paraffins and hydrocarbon waxes) Production and processing of rubber - Industrial (Paraffins and hydrocarbon waxes) Use as binders and release agents - Industrial (Paraffins and hydrocarbon waxes) Use as Binders and Release Agents - Professional (Paraffins and Hydrocarbon Waxes) Use as fuel - Consumer (Paraffins and hydrocarbon waxes) Use as fuel - Professional (Paraffins and hydrocarbon waxes) Use as functional fluids - Consumer (Paraffins and hydrocarbon waxes) Use as functional fluids - Industrial (Paraffins and hydrocarbon waxes) Use as functional fluids - Professional (Paraffins and hydrocarbon waxes) Use as an intermediate - Industrial (Paraffins and hydrocarbon waxes) Use in agrochemicals - Consumer (Paraffins and hydrocarbon waxes) Use in agrochemicals - Professional (Paraffins and hydrocarbon waxes) Laboratory use - Industrial (Paraffins and hydrocarbon waxes) Laboratory use - Professional (Paraffins and hydrocarbon waxes) Use in lubricants - Consumer (Paraffins and hydrocarbon waxes), high environmental emission category Use in lubricants - Consumer (Paraffins and hydrocarbon waxes), low environmental emission category Use in lubricants - Industrial (Paraffins and hydrocarbon waxes) Use in lubricants - Professional (Paraffins and hydrocarbon waxes), high category of environmental emission Use in lubricants - Professional (Paraffins and hydrocarbon waxes), low environmental emission category Use in coatings - Consumer (Paraffins and hydrocarbon waxes) Use in coatings - Professional (Paraffins and hydrocarbon waxes) Use in coatings - Industrial (Paraffins and hydrocarbon waxes)

 Fecha de Emisión: 03/01/2020
 Fecha de revisión: 2023
 Versión: 4
 Página 1 de 11

 Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN)
 +34 93 715 06 48

 #www.cerasmarti.com
 info@cerasmarti.com



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

1.3. Details of the supplier of the safety data sheet:

Ceras Industriales Martí, S.L. Pol. Ind. Can Clapers. C/Can Clapers 29 2B 08181 – SENTMENAT (Barcelona)

1.4. Emergency telephone number:

+34 91 114 2520

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture: Not classified.

2.2. GHS label elements:

Signal Word: Hazrd Statements: No signal word. No known significant effects or critical hazards.

Precautionary statements: Prevention: Response:

Storage: Disposal:

Not applicable.
Not applicable.
Not applicable.
Not applicable.

2.3. Other hazards which do not result in classification:

None known.

3. COMPOSITION/INFORMATION ON INGREDENTS

- 3.1.
 Substance/mixture:
 Substance.

 Chemical name:
 Paraffin waxes and Hydrocarbon waxes.
- 3.2. CAS number/other identifiers: CAS number:

CAS: 64742-51-4

Ingredient name	%	CAS number
Paraffin waxes and Hydrocarbon waxes	100	64742-51-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

4.1. Description of necessary first aid measures

Eye contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.		
Inhalation:		fresh air and keep at i tion if symptoms occu	rest in a position comfortable for breathing. r.
Skin contact:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.		
Ingestion:	Wash out mouth v	with water. If material h	has been swallowed and the exposed
Fecha de Emisión: 03/01/2020	Fecha de revisión: 2023	Versión: 4	Página 2 de 11

🗣 Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) 📞 +34 93 715 06 48

🌐 www.cerasmarti.com 🛛 info@cerasmarti.com



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2. Most important symptoms/effects, acute and delayed

Potencial acute health effects:

Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.

Over-exposure signs/symptoms:

Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	No specific data.
Ingestion	No specific data.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments:	No specific treatment.
Protection of first-aiders:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

5. FIRE-FIGHTING MEASURES

6.

5.1.	Extinguishing media:			
	Suitable extinguishing media:	Use dry chemical or CO ₂ .		
	Unsuitable extinguishing media:	Do not u	se water jet.	
5.2.	5.2. Specific hazards arising from the chemical:			
	Specific hazards arising from the c	hemical:	In a fire or if heated, a pressure increase will occur and the container may burst.	
	Hazards termal decomposition pro-	ducts:	Decomposition products may include the following materials: carbon dioxide carbon monoxide	
5.3.	Special protective actions for fire-f	ighters:		
	Special protective actions for fire-f	ighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
	Special protective equipment for find	re-fighters	S: Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	
ACC	IDENTAL RELEASE MEASURES			

6.1. Personal precautions, protective equipment and emergency procedures

Fecha de Emisión: 03/01/2020	Fecha de revisión: 2023	Versión: 4	Página 3 de 11
💡 Pol. Ind. Can Claper	s, C/ Can Clapers, 29, 2-B, 0	8181 Sentmenat (BCN)	\$ +34 93 715 06 48
	🕽 www.cerasmarti.com 🛛 🖿	info@cerasmarti.com	



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2. Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3. Methods and materials for containment and cleaning up:

Small spill:

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill:

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

6.4. Reference to other sections:

See Section 1 for emergency contact information and Section 13 for waste disposal.

7. HANDLING AND STORAGE:

7.1. Precautions for safe handling:

Protective measures: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2. Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Fecha de Emisión: 03/01/2020Fecha de revisión: 2023Versión: 4Página 4 de 11

🗣 Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) 📞 +34 93 715 06 48

🌐 www.cerasmarti.com 🛛 🖾 info@cerasmarti.com



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

7.3. Specific end uses:

Recommendations Not available. Specific solutions for the industrial sector: Not available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

 8.1. Control parameters:
 Occupational exposure limits

 Ingredient name:
 Paraffin waxes and Hydrocarbon waxes

 Exposure limits:
 INSHT (España, 4/2021). VLA-ED:

 2 mg/m³ 8 hours. Form: Fume

 Biological exposure indices:
 No exposure indices known.

8.2. Appropiate engineering controls:

Appropiate engineering controls:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/fase protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses with side-shields.

Skin protection

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours breakthrough time): Wear suitable gloves.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Protective clothing must be worn.

Fecha de Emisión: 03/01/2020	Fecha de revisión: 2023	Versión: 4	Página 5 de 11
💡 Pol. Ind. Can Clape	rs, C/ Can Clapers, 29, 2-B, C)8181 Sentmenat ((BCN) 📞 +34 93 715 06 48
	🌐 www.cerasmarti.com 🛛	info@cerasmarti.	. c o m



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

Other skin protection:

The proper footwear and any other necessary cutaneous protection measure should be chosen depending on the task that is carried out and the risks involved. Such measures must be approved by a specialist before proceeding to manipulation. Recommended: Suitable protective footwear.

Respiratory protection:

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Use appropriate respiratory protection if there is a risk of exceeding any exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES AND SAFETY CHARACTERISTICS

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Information on basic physical and chemical properties:

<u>Appearance</u>	
Physical state:	Solid (Waxy solid)
Color:	25 ASTM D156
Odor:	Odorless
Odor threshold:	Not available
Melting point:	56°-58° C
Boiling point:	Not available
Flammability	Not available
Lower and upper explosión limit:	Not applicable
Flash point:	Open cup: >220°C (>428°F)
Auto-ignition temperature:	Not applicable
Decomposition temperature:	Not available
pH:	Not available
Viscosity:	Not available
Solubility:	Not soluble
Partition coefficient:	
n-octanol/water (Log Kow):	Not available
Vapor pressuer:	Not available
Density:	Not available
Relative density:	Not available
Vapor pressure:	Not available
Relative vapor density:	Not applicable
B (1) 1 (1) (1)	

Particle characteristics

Median particle size:	
-----------------------	--

 Fecha de Emisión: 03/01/2020
 Fecha de revisión: 2023
 Versión: 4
 Página 6 de 11

 Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN)
 +34 93 715 06 48

 # www.cerasmarti.com
 info@cerasmarti.com

Not available



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

10. STABILITY AND REACTIVITY

10.1. Reactivity:

No specific test data related to reactivity available for this product or its ingredients.

10.2. Chemical stability:

The product is stable.

- **10.3. Possibility of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.
- **10.4. Conditions to avoid:** No specific data.
- 10.5. Incompatible materials:

No specific data.

10.6. Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Paraffin waxes and Hydrocarbon waxes	Eyes – Mild irritant	Rabbit	-	24 hours 100 mg	-
Trydrocarbon waxes	Eyes – Mild irritant	Rabbit	-	50 %	-
	Skin – Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin – Moderate irritant	Rabbit	-	500 mg	-

Sensitization

Not available Conclusión/Summary

Skin:Based on available data, the classification criteria are not met.Eyes:Based on available data, the classification criteria are not met.Respiratory:Based on available data, the classification criteria are not met.

Mutagenicity

Not available **Conclusión/Summary** Based on available data, the classification criteria are not met.

Carcinogenicity

Not available **Conclusión/Summary** Based on available data, the classification criteria are not met.

Reproductive toxicity

Not available

Fecha de Emisión: 03/01/2020	Fecha de revisión: 2023	Versión: 4	Página 7 de 11
💡 Pol. Ind. Can Claper	s, C/ Can Clapers, 29, 2-B, 0	8181 Sentmenat (BCN)	% +34 93 715 06 48

🌐 www.cerasmarti.com 🛛 info@cerasmarti.com



BEESWAX
SOYWAX
RAPESEED WAX
PARAFFINS
MICROCRYSTALLINE
STEARIC ACID

PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

Conclusión/Summary

Based on available data, the classification criteria are not met.

Teratogenicity

Not available **Conclusión/Summary** Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure) Not available

Specific target organ toxicity (repeated exposure) Not available

Aspiration hazard Not available

Information on the likely routes of exposure: Not available

Potential acute health effects

Eye contact: Inhalation: Skin contact: Ingestion: No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Inhalation: Skin contact: Ingestion:

No specific data. No specific data. No specific data. No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure Potential inmediate effects: Potential delayed effects:

Long term exposure Potential inmediate effects: Potential delayed effects:

Potential chronic health effects:

Not available. Not available.

Not available. Not available.

Not availableConclusión/SummaryBased on available data, the classification criteria are not met.GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.Reproductive toxicityNo known significant effects or critical hazards.

11.2. Numerical measures of toxicity

11.2.1. Acute toxicity estimates N/A

12. ECOLOGICAL INFORMATION:

12.1. Toxicity

Not available Conclusión/Summary Based on available data, the classification criteria are not met.

Fecha de Emisión: 03/01/2020

Fecha de revisión: 2023 Versión: 4

Página 8 de 11

Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) www.cerasmarti.com info@cerasmarti.com



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

12.2. Persistence and degradability Conclusión/Summary Based on available data, the classificati

Based on available data, the classification criteria are not met.

- 12.3. Bioaccumulative potential Not available
- 12.4. Mobility in soil

Soil/water partition coefficient (Koc): Not available

12.5. Other adverse effects No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. TRANSPORT INFORMATION

	UN	IMDG	ΙΑΤΑ
14.1. UN number	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name	-	-	-
14.3 Transport Hazard class (es)	-	-	-
14.3. Packing group	-	-	-

 Fecha de Emisión: 03/01/2020
 Fecha de revisión: 2023
 Versión: 4
 Página 9 de 11

Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN) www.cerasmarti.com info@cerasmarti.com



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

14.4. Environmental hazards	No	No	No	
-----------------------------	----	----	----	--

14.5. Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.6. Transport in bulk according to IMO instruments Not available

Remarks: Not available.

15. REGULATORY INFORMATION

International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed. Montreal Protocol Not listed. Stockholm Convention on Persistent Organic Pollutants Not listed. **Rotterdam Convention on Prior Informed Consent (PIC)** Not listed. UNECE Aarhus Protocol on POPs and Heavy Metals Not listed. Inventory list Australia : This material is listed or exempted. Canada : This material is listed or exempted. This material is listed or exempted. China : Russian Federation inventory: Not determined. **Eurasian Economic Union :** Japan : Japan inventory (CSCL): Not determined. Japan inventory (ISHL): This material is listed or exempted. New Zealand : This material is listed or exempted. Philippines : This material is listed or exempted. Republic of Korea : This material is listed or exempted. Taiwan : This material is listed or exempted. Turkey : This material is listed or exempted. United States : This material is active or exempted. Viet Nam : This material is listed or exempted.

16. OTHER INFORMATION

Key to abbreviations

ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available

 Fecha de Emisión: 03/01/2020
 Fecha de revisión: 2023
 Versión: 4
 Página 10 de 11

 Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN)
 +34 93 715 06 48

∰ www.cerasmarti.com ĭ≊ info@cerasmarti.com



PALM WAX CARNAUBA WAX CANDELILLA WAX NATURAL GUMS WAX EMULSIONS LANOLIN

SGG = Segregation Group UN = United Nations

Procedure used to derive the classification Not classified

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

 Fecha de Emisión: 03/01/2020
 Fecha de revisión: 2023
 Versión: 4
 Página 11 de 11

 Pol. Ind. Can Clapers, C/ Can Clapers, 29, 2-B, 08181 Sentmenat (BCN)
 +34 93 715 06 48

 # www.cerasmarti.com
 info@cerasmarti.com